

Creating healthy & happy society is our first priority



www.firson.co.kr

Vision	Creating healthy & happy society is our first priority
Mission	🎢 The first priority is Human
<b>Firson</b>	<ul><li>Focus on the lives of people</li><li>A true devotion to people</li></ul>
First + Person	Empower people to innovate
GMP, ISO13485 and CE	Firson has provided with the qualified essential drugs to local and global market for 60 years. We are the leading CMO company to manufacture the highest quality of Disinfectant(ISO13485, CE approved), Pharmaceuticals and Sterilizer in compliant with the international standard at our GMP facility in Korea. Firson products being exported to 20 countries actively now.

# **Production Line**

Firson manufacturing capacity 200 items at 17 production lines

# Internal liquids

Volume : 50ml~1L Production unit: 2~2.5ton

**External liquids** Volume : 5ml~100ml, 250ml~1L, 4L~18L Production unit: 300L, 500L, 2.5ton, 4.5ton Ointment

Volume : 3g~200g, 400g Production unit: 100kg, 500kg, 1ton (PE tube, Laminate tube, Aluminium tube)

Medical device, Quasi-drugs

Volume : 30ml~500ml Production unit: 1ton(Gargle, Detergent, Disinfectant)



# **Research & Development**

### Outstanding new drug development

We have concentrated on Research&Development of new drugs based through accumulation of experience and technology in the essential drug business for 60 years. As a result, we succeeded in the development of hyperhidrosis treatment, Sweatrol® which enhanced our technology to the higher level. Our never ending efforts to overcome new challenges will make safe and reliable medicines for a better world.

# Quality Control & Quality Assurance

### **Excellent quality management**

Our highly advanced quality control system and infrastructures allow us the rational decision making and superb quality management. This cutting-edge quality control enabled us to get past our competitors and guarantee a quality manufacturing process as well as distribution.



# **Domestic Customer**

GREEN CROSS
MONG-A PHARM.
CHO-A 🔯 CHODANG PHARM CLEMONA Kyung Nam Pharm 🕅 DAEWOONG
SINSIN 5 SINIL

# **Overseas Export**



### **EndoPA**



### **Opidex Sol.**



### **Bydex Plus Sol.**



### Opizyme



### Lidocaine Jelly



### **Beracaine Spray**



### Incainegel



### **I**Active ingredients (Per 100ml)

• Peracetic Acid Solution 100ml (for peracetic acid 0.2%)

#### Indication

• Disinfection of medical device : flexible conduct, silicon tube, plastic tube, silicon cap, silicon cork, handles for scalpel and endoscopes.

#### Direction

• Add the Additive to the container of Base and mix them.

#### **IActive ingredients (Per 100ml)**

Ortho-phthalaldehyde 0.55g

#### Undication

• Chemical sterilization and disinfection of medical devices, instruments seriously contaminated by microbes and organic matters or expected to be contaminated B-type hepatitis virus and used in direct contacts with hypodermic tissues and mucous membranes.

#### Direction

• Use undiluted solution directly onto the medical instruments and devices.

#### Active ingredients (Per 100ml)

• Glutaral Concentrate 4.2g

#### Indication

 Disinfection and sterilization of medical devices and instruments : lens-related devices, endoscopes, anesthetic equipment, artificial respiration devices, surgical operation apparatus including scalpels and catheters, instruments for obstetrics, gynecology, urology, dentistry, auxiliary devices, syringes and thermometers.

#### Direction

• Use undiluted solution directly onto the medical instruments and devices.

#### **Active ingredients**

• Protease, Amylase, Lipase

#### Indication

• Medical devices and instruments (ultrasonic and automatic cleaners)

#### Direction

• Use diluted solution of 10ml per 1L (about 100 times)

### **IActive ingredients (Per 100 ml)**

• Lidocaine hydrochloride 2g

#### Indication

• Surface anesthesia and lubrication, Pain relief of cystitis and urethritis.

#### Direction

• Increase or decrease the amount properly in accordance with age, anesthetized area, body part, body tissue, symptoms, constitution and general condition.

#### Active ingredients (Per 100ml)

# • Lidocaine 10g

### Indication

• Surface anesthesia of dentistry otolaryngology and obstetrics as well as in case of inserting instrument or catheter into respiratory and digestive organs.

#### Direction

• Increase or decrease the amount properly in accordance with age, anesthetized area, body part, body tissue, symptoms, constitution and general condition.

### **IActive ingredients (Per 100ml)**

Lidocaine Hydrochloride 2.09g, Chlorhexidine Gluconate 0.26g

#### Indication

• Sterile lubricant for mucous anesthetics and prevention of rectal and colon injuries during catheter insertion, surgery in the urethra(male, female), endoscopy, intubation.

#### Direction

- Inject about 6-11ml after cleaning the glans and urethra. Inject slowly in urethra and compress the glans until local anesthesia and disinfection gets effective.
- **Local Anesthesia**

Package | 50ml x 10/120

## Package | 11ml x 10/100

# Package | 25g, 30g x 50/200, 120g x 12/72

Package | 1L x 4, 5L x 4

**Local Anesthesia** 



04



Package | 5L x 4

Package | 4L x 4

Package | 5L x 4

## **Ointment for Wound Care**

Package | 5g x 30/360

# cyclovir

Fusiden Oint.

**Acyclovir Cream** 

- Apply the product to the affected area 5 times at 4-hour intervals daily.
- Treatment must be continued for 5 days but if there is no improvement, it can be continued to use for additional 5 days.

• Herpes simplex virus infection (including early and relapsing genital herpes and herpes labialis)

### Active ingredients (Per 1g)

Sodium fusidate 20mg

 Acyclovir 50mg I Indication

Direction

#### **I**Indication

- Applicable bacterium : staphylococcus, streptococcus, corynebacterium, clostridium
- Symptoms : pyodermatitis, burns
- Secondary infection caused by suture and skin drafting

#### Direction

• Apply suitable amount to the affected area or put the sterile gauze with a widespread amount on the affected area 1 to 2 times daily after cleaning the affected area.

## **Sweatrol Pad Sol.**

**IActive ingredients (Per 1.17ml)** Glycopyrrolate 23.4mg

Indication • Facial hyperhidrosis

### Direction

• Lightly rub a sweatrol pad on the affected area of face except for eyes, nose and mouth 5 times. (For adult : Once a day) Before application, the affected area must be cleaned and fully dried. Do not wash the affected area within 4 hours after application.

#### Enema

• D-sorbitol 70% 89.3g, Glycerin 12.5g, Sodium citrate hydrate 9g

#### Direction

for adult, use same amount again. (For the children under 3 years old, use an half amount.)

### **Chichien W Cream**

# Active ingredients (Per 100ml)

#### Indication

• Temporary relief of painful healing, itching, edema and bleeding when suffering from hemorrhoids

### Direction

• Apply directly to the lesion within three times a day. Single use

## Nasal Spray

# Xylometazoline HCL 100mg

- Nasal congestion due to common cold, hay fever, upper respiratory allergies, sinusitis.

### Direction

- Adult and children 6 to 12 years of age (with adult supervision) : 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24 hour period.
- Children under 6 years of age : ask a doctor.

# Active ingredients (Per 100ml)

# Indication

• For children (over 3 years old) or adult : Insert 5ml into anus at a time. If there is no improvement

### Hemorrhoids

Package | 2g x 10pcs/case, 6case/144case

• Lidocaine 30 mg/g, Allantoin 10 mg/g, Prednisolone acetate 0.5 mg/g, Tocopherol acetate 25 mg/g

# **Nasal Congestion**

Package | 30ml x 20/240

05







# **I** Active ingredients (Per 1g)

Sweat Control

Package | 10g x 20/240

Package | 1sheet x 20/480, 5sheets x 10/200

# Active ingredients (Per 100ml)










Package | 5ml (3ea) x 10/240, 8ml (1ea) x 10/120









#### ILSANG DOCTOR(ISDR)

New Brand name means Daily Life Doctor in Korean. Goods for your daily life & health in a variety of application.

ilsangdoctor.com

### **ISDR Handcare**

#### (Quasi-drugs)



**ISDR Scarcare** (Quasi-drugs)



#### **ISDR Madecare** Ointment (Quasi-drugs)



#### ISDR Hands Sanitizer (Quasi-drugs)



# Acnesin Clear Patch

(Cosmetics)



### **I**Active ingredients (Per 100ml)

• Tea Tree oil, Salicylic acid

#### Indication

- Anti-bacteria action to acne area
- Helps to treat damaged skin
- Protect wounds from contamination

### Active ingredients (Per 100ml)

• Benzalkonium chloride, hyaluronic acid, hohoba oil etc.

#### Indication

• Hands and Skin disinfection and moisturizing, 99.9% bactericidal effect

#### Direction

• Apply the appropriate amount on hands several times a day.

#### Waterproof Liquid Band for wounds

#### **I**Active ingredients (Per 100ml)

• Benzalkonium chloride, centella quantitative extract etc.

#### Indication

- Waterproof, disinfection and wound recovery at once
- Disinfection of the upper part of the skin and mucous membrane
- Prevent and protect the wound from contamination

#### Direction

• Apply the appropriate amount on wounds 1-2 times a day after cleaning the affected area

#### 100% botanical wound protection ointment

### **I**Active ingredients (Per 100ml)

• Centella constant extract 1g(400mg as an Asiaticoside)

#### Indication

• Excellent treatment on wounds and burns, scar prevention effects, wound recovery

#### Direction

• Apply the appropriate amount to wounds 1-2 times a day after cleaning the affected area

#### Small & Handy Sanitizer with ethanol 62%

Acne Patch for acne-prone skin

Package | 36patches, 10/200

Active ingredients (Per 100ml)

### 62% ethanol Indication

Strong hands disinfection effects

#### Direction

• Apply the appropriate amount on hands several times a day.

#### HOW TO USE

- 1. Cleanse and thoroughly dry your face.
- 2. Remove patch from its adhesive back film and apply on individual spot directly.
- 3. Leave it on for 8 to 12 hours, ideally during the night for patch action

#### **CLINICAL TEST**

- Clinically proven on blemished skin healing and its safety
- Improvement of healing blemished skin was proved by panelists statistically is allowed in the 95% confidence after using.

#### Fllead







#### before after






**Alcohol Free Moisturizing Hand Sanitizer** 

Package | 50g, 20/200

Package | 8ml

Package | 10g

Package | 50ml




# Sector Contraction Contractico Contractic

### Sterilizer of Space and Surface



- Nano Vaporized Hydrogen Peroxide(N-VHP)
- Nano Evaporating Spray System(NESS)
- Full Automation System
- Six Log Reduction(99.9999%)

#### Sterilization Efficacy: 6 Log Reduction - 99.9999%





Specifications Model name FN-S300 FN-D200 FN-S100 FN-S400 Dimensions 450 x 460 x 1100mm 450 x 460 x 1100mm 320 x 320 x 460mm 450 x 460 x 1100mm Weight 30Kg 35Kg 35Kg 15Kg Electricity 220V(60Hz) 220V(60Hz) 220V(60Hz) 220V(60Hz) **Electricity Power** 2.5Kw 2Kw 2Kw 1.2Kw Nano Evaporating Auto Scrubbing Auto Scrubbing Nano Evaporating Technology Spray System System System Spray System H<sub>2</sub>O<sub>2</sub> Sensor 0 0 Х х Scrubber 0 0 Х Х Capacity Up to 400m<sup>3</sup> Up to 400m<sup>3</sup> Up to 400 m<sup>3</sup> Up to 85m<sup>3</sup>

### **I**Facility for Sterilization


- Hospitals : Operating room
- Multi-use facility : Public health centers, Daycare centers,
- Postpartum care centers, Nursing home
- Transportation : Ambulance, Bus, Train, Airplane



#### **I**Sterilant

- Environmentally friendly sterilant
- US EPA recognizes high concentration of Hydrogen Peroxide as an environmentally friendly material

### Sterilization Process







Head office/factory | 47, Baekseokgongdan 1-ro, Seobuk-gu, Cheonan-si, Chungcheongnam-do, Korea T +82.41.566.8283 | F +82.41.566.8321

Sales office I 22F Tower A, Hyundai Knowledge Industry Center, 70 Dusan-ro, Geumcheon-gu, Seoul, Korea T +82.1833.8200 I F +82.2.2138.8280 I Website www.firson.co.kr I E-mail global@firson.co.kr

Logistics Center I 5, Hoean-daero, Opo-eup, Gwangju-si, Gyeonggi-do, Korea T +82.1833.8280 I F +82.31.687.8219